PLACENTA, Volume 2 (1981)

Index

Acid phosphatase, placental activity of, in essential hypertension, 199, 203
Ackland, N. *See* Rice, C. et al
Adenovirus, Type 2, and infection of human placenta, 265–270
Affinity chromatography—
  pregnancy-associated plasma-A, purification of, 11–17
  separation of $SP_1\alpha$ and $SP_1\beta$ by, 223–232
Ahmed, A. G. *and* Klopper, A., 223–232
Ahmed, A. M. et al, 45–52
Alkaline phosphatase, placental activity of, in essential hypertension, 199, 203
Amnion, epithelium of, in rhesus incompatibility—
  microscopic examination of, 34–43
Antigens, trophoblast-specific (TAI)—
  human TrPM antigens, 94, 98–102
  in the mouse, detection and species specificity of, 96–98, 101–102
Antithrombin III (At III)—
  serum placental protein 5 as evidence for, 205–209
Arylsulphatase, placental activity of, in essential hypertension, 200–201, 203

Bianco, V. *See* Remotti, G. et al
Billington, W. D. *See* Searle, R. F. et al
Binucleation, of mouse trophoblastic tissue, 317–331
Bischof, P., 29–34
Björkman, N. et al, 287–302
  see also Dantzer, V. et al
Bland, J. M. *See* Pijnenborg, R. et al
Blastocyst, porcine, metabolic regulation by, 129–142
  blastocyst–endometrium co-culture, protein synthesis in, 135–137
  electrophoretic profiles of, 137–140
Bleker, O. P. *and* Hoogland, H. J., 275–278
Blighted ova, incidence of, in extrauterine gestation, 63–70
Book reviews, 183–185, 371
Brosens, I. *See* Pijnenborg, R. et al
Brown, P. J. *and* Johnson, P. M., 1–10
  see also Johnson, P. M. and Brown, P. J.

Calcium transport, in early trophoblast, and effect of Dioxin poisoning on, 53–62
Candiani, G. B. *See* Remotti, G. et al
Capillaries, of placental villi, measurement of in perfused placenta, 161–167
Carroll, M. J., 271–274
Cephalin-*N*-methyltransferase activity, in human and rodent placenta, 211–221
Chard, T. *See* Salem, H. T. et al
Choline, metabolism of, in human and rodent placenta, 211–221
Chromatography, *see* individual methods
Coid, C. R. *and* Nicholson, J., 187–192
Complement system, pregnancy-associated plasma-A and inhibition of, 29–34
Cooper, W. *See* Smith, R. et al
Corticosteroids, metabolism of, in human placenta, fetal membranes and decidual tissues, 279–285
Cotyledon, human placental, perfusion of, 149–167
  intravascular volume estimation, 155–159
  preparation and viability of, 149–154
  villous capillary dimensions, measurement of, 161–167
Craft, I. L. *See* López Bernal, A. and Craft, I. L.

Dantzer, V. et al, 19–28
  see also Björkman, N. et al
De Virgilis, G. *See* Remotti, G. et al
DEAE-cellulose chromatography, and characterization of microvillous membrane proteins, 123, 124–125, 126
Decidual tissue, human, corticosteroid metabolism during gestation, 279–285
Decidual tissue, rat, ornithine decarboxylase activity and polyamine content of, 105–116
  and effect of oestradiol on, 107–108, 109–110, 111–114
  and effect on RNA synthesis in isolated decidual nuclei, 109–113, 114
Diabetes mellitus, Class A, histomorphometry of placenta in, 241–251
Dioxin, poisoning by, and morphological changes of early trophoblast, 53–62
Dithiothreitol, and inhibition of guanylate cyclase activity in human placenta, 344, 349, 351, 352
Dixon, G. *See* Pijnenborg, R. et al
Drury, L. et al, 155–160
  see also Penfold, P. et al

Ectopic implantation, and incidence of blighted ova, 63–70
EDAX elemental microanalysis (Energy Dispersive Analysis of X-ray), of early trophoblast after Dioxin poisoning, 53–61
Electron microscopy—
  of amniotic epithelium in rhesus incompatibility, 35–43
  of conceptus attachment in ewe, 169–181
  of interareolar histiotrophe in porcine placenta, 19–28
  perfusion of porcine placenta, and tissue fixation for, 287–301
  of placenta in maternal essential hypertension, 193–204
  of trophoblast after Dioxin poisoning, 53–62
  of trophoblastic microvillous membranes, 118, 119
Electrophoresis, disc gel—
  blastocyst–endometrial interactions in pre-implantation stage of pig development, 131–132, 137–140
Eller, M. *See* Freund, E. et al
Emmrich, P. *and* Kopping, H., 63–70
Endometrium, porcine—
  blastocyst–endometrium co-culture, 135–137
  protein synthesis by, in vitro, 129–142
Extrauterine gestation, and incidence of blighted ova, 63–70

Fcγ receptors, in human placenta, 355–369
  biochemistry of, 362–364
  and endocytosis of IgG by syncytiotrophoblast, 365–366
  detection of, 356–362
Fetal membranes, human, corticosteroid metabolism in during gestation, 279–285
Fléchon, J.-E. *See* Guillomot, M. et al
Folkersen, J. et al, 11–18
  see also Hindersson, P. et al; Wahlström, T. et al

Fox, H. *See* Jones, C. J. P. and Fox, H.
Freund, E. et al, 265–270

Gant, N. F. *See* Milewich, L. et al
Gel diffusion (Ouchterlony), and demonstration of Schwangerschafts protein 1 (SP_1), 49
Gel filtration, and isolation of transferrin receptor from human syncytiotrophoblast, 3, 4–6
Gel filtration chromatography, and separation of $SP_1\alpha$ and $SP_1\beta$, 46, 48, 224, 229, 231
Glucosaminoglycans, in placental villi in extrauterine gestation, and incidence of blighted ova, 63, 67, 69
Glycoproteins, from syncytiotrophoblast, characterization of, 117–128
Growth, human intrauterine placental, estimation of by ultrasound, 275–278
Grudzinskas, J. G. *See* Folkersen, J. et al; Hindersson, P. et al
Guanylate cyclase, partial characterization of activity in human placenta, 343–353
  dithiothreitol, and inhibition of, 344, 349, 351, 352
  phenylhydrazine, and activation of, 344, 347, 348, 349, 350, 351–353
  p-hydroxymercuriophenyl sulphonate, and inhibition of, 344, 348–349, 351, 352
Guillomot, M. et al, 169–182
Guinea pig—
  placental lactate and pyruvate levels, influence of perfusion on, 271–274
  placental polyploidization in, 333–342

Haemochorial placentation, trophoblast invasion and establishment of, 71–91
  comparative study, problems of, 72–74
  intra-arterial migration of trophoblast, 78–80
  proliferation and differentiation of trophoblast in early pregnancy, 74–78
  related to maternal tissue changes, 80–88
Hasselager, E. *See* Björkman, N. et al; Dantzer, V. et al
Heap, R. B. *See* Rice, C. et al
Hendricks, T. S. *See* Milewich, L. et al
Hindersson, P. et al, 233–240
  see also Folkersen, J. et al
Histiotrophe, interareolar, of porcine placenta, electron microscopy of, 19–28
Histochemical analysis, of human placenta in maternal essential hypertension, 193–204
Histomorphometry, of placenta in normal and Class A diabetes mellitus women, 241–251
Hochberg, Z. et al, 259–264
Hofbauer cells, Fcγ receptors on, 360–361
Holm, H. *See* Björkman, N. et al
Hoogland, H. J. *See* Bleker, O. P. and Hoogland, H. J.
Hoshiai, H. et al, 105–116
Hypertension, maternal essential, ultrastructure and histochemistry of placenta in, 193–204
Hytten, F. E. *See* Drury, L. et al; Penfold, P. et al

Ilgren, E. B., 317–332, 333–342
Immune response, maternal—
  and trophoblast growth, 84–86, 88
  and detection of trophoblast-specific antigens, 93–103
Immunoadsorption, and isolation of transferrin receptor from human syncytiotrophoblast, 3, 6
Immunodiffusion—
  pregnancy-associated plasma protein-A, purification of, 30, 34
  trophoblast-specific antigens, detection of, 96, 99
Immunoelectrophoresis—
  molecular heterogeneity of SP_1, 234, 237, 238–239
  separation of $SP_1\alpha$ and $SP_1\beta$, 45–51, 225–228
Immunoelectrophoresis, crossed—
  molecular heterogeneity of SP_1, 234, 236–237, 238–239
  separation of $SP_1\alpha$ and $SP_1\beta$, 225, 230
  trophoblast-specific antigens, detection of, 96, 99, 101
Immunofluorescence, and detection of trophoblast-specific antigens, 96, 97, 98, 99
Immunoglobulin G, Fcγ receptor-mediated endocytosis of, by syncytiotrophoblast, 365–366
Immunoperoxidase labelling—
  pregnancy-associated plasma protein-A in normal placenta, tissue localization of, 253–258
  human and murine trophoblast-specific antigens, detection and species-specific antigens, 95, 98–102
Infection—
  Group B streptococcal isolates in pregnant mice, factors affecting, 187–191
  of placenta, by Adenovirus type 2, 265–270
Inhibin-like activity, in rabbit placental extracts, 259–264
Inhibition, of complement system, by pregnancy-associated plasma protein-A, 29–34
Intravascular volume, of perfused placenta, measurement of, 155–159
Ion-exchange chromatography—
  microvillous membrane proteins, characterization of, 122–125, 126
  pregnancy-associated plasma protein-A, purification of, 29–34
  SP_1 determinants, demonstration of, 46
Ischaemic damage, to placenta in essential hypertension, ultrastructure and histochemistry of, 193–204

Johnson, P. M. *and* Brown, P. J., 355–370
  see also Brown, P. J. and Johnson, P. M.
Jones, C. J. P. *and* Fox, H., 193–204

Kellner, K. *See* Freund, E. et al
Kjærsgaard, P. *See* Björkman, N. et al
Klopper, A. *See* Ahmed, A. G. and Klopper, A.; Ahmed, A. M. et al
Kopping, H. *See* Emmrich, P. and Kopping, H.

Labour, onset of, and changing values of pregnancy-associated plasma protein-A, 143–147
Lactate, in placenta, effects of perfusion on, 271–274
Lactate dehydrogenase, placental activity of, in essential hypertension, 200–201, 203
Lee, A. C. *See* Okamura, K. et al
Light microscopy—
  of amniotic epithelium in rhesus incompatibility, 35–36, 42
  of conceptus attachment in ewe, 170, 173–177
Lin, Y. C. *See* Hoshiai, H. et al
Loke, Y. W. *See* Searle, R. F. et al
López Bernal, A. *and* Craft, I. L., 279–286
Loring, J. M. *See* Hoshiai, H. et al

MacDonald, P. C. *See* Milewich, L. et al
Malate dehydrogenase, placental activity of, in essential hypertension, 201, 203
McGuire, P. M. *See* Freund, E. et al
Membranes, microvillous surface, of placental syncytiotrophoblast, characterization of proteins and glycoproteins, 117–128
Methyltransferase activity, in human and rodent placenta, 211–221
Microsomes, placental, phosphatidylcholine biosynthesis in, 211–221
Microspheres, labelled and unlabelled, use of in measurement of villi capillary dimensions in perfused placenta, 161–167
Milewich, L. et al, 343–354
Monkey, rhesus—
  trophoblast invasion and establishment of haemochorial placentation, 71, 84
Morphology and morphological changes—
  of amniotic epithelium in rhesus incompatibility, 34–43
  of trophoblast after Dioxin poisoning, 53–62

Mouse—
binucleation and polyploidy of trophoblastic tissues in vitro, 317–331
choline metabolism in placenta, 211–221
Group-B streptococci in tissues of pregnant mice, multiplication of, 187–191
placental polyploidization, 333–342
trophoblast-specific antigens, detection and specificity of, 93–103
Myometrium, human, pattern of interstitial trophoblastic invasion, 303–315

Nicholson, J. *See* Coid, C. R. and Nicholson, J.
Nucleotide concentration, in perfused placenta, 149–154

Okamura, K. et al, 117–128
Ornithine decarboxylase activity, in rat placental and decidual tissue, 105–116
effect of oestradiol on, 107–108, 109–110, 114

PAPP, *see* Pregnancy-associated plasma proteins
Penfold, P. et al, 149–154, 161–168
Perelle, B. A. *See* Hoshiai, H. et al
Perfusion, of guinea-pig placenta, and effect on lactate and pyruvate levels, 271–274
Perfusion, of single human placental cotyledon, 149–167
intravascular volume, estimation of, 155–159
preparation and viability of, 149–154
villous capillary dimensions, measurement of, 161–167
Perfusion, of porcine placenta, and tissue fixation for electron microscopy, 287–301
Phenylhydrazine, and activation of guanylate cyclase in human placenta, 344, 347–352
Phosphatidylcholine, biosynthesis of, in placental microsomes, 211–221
p-Hydroxymercuriphenyl sulphonate, and inhibition of guanylate cyclase activity in human placenta, 344, 348–349, 352
Pig—
blastocyst–endometrial interactions and protein synthesis during pre-implantation development in vitro, 129–142
interareolar histiotrophe, electron microscopy of, 19–28
placental perfusion for electron microscopy fixation, 287–301
Pijnenborg, R. et al, 71–92, 303–316
Placentation, haemochorial, trophoblast invasion and establishment of, 71–91
comparative study, problems of, 72–74
intra-arterial migration of trophoblast, 78–80
trophoblast in early pregnancy, proliferation and differentiation of, 74–78
trophoblast invasion related to maternal tissue changes, 80–88
Polyacrylamide gel electrophoresis (PAGE), and characterization of solubilized microvillous membrane protein, 118–119, 120–124, 125–126
Polyamine content, of placenta and decidual tissue in the rat, 105–116
effect of oestradiol on, 109, 111, 114
effect on RNA synthesis of isolated decidual nuclei, 109–113, 114
Polyploidy—
in placenta of mouse and guinea pig, 333–342
in mouse trophoblastic tissue in vitro, 317–331
Powell, J. E. *See* Okamura, K. et al
Pregnancy, late, changing values of pregnancy-associated plasma protein-A, 143–147
Pregnancy-associated plasma-A (PAPP-A)—
complement system, inhibition by, 29–34
in late pregnancy and labour, changing values of, 143–147
tissue localization of, in normal placenta, 253–258
two-step affinity chromatography, purification of, 11–17
Pregnancy-specific β_1-glycoprotein (SP_1), molecular heterogeneity of, 233–240
see also Schwangerschafts protein 1
Pre-implantation, porcine, blastocyst–endometrial interactions and protein synthesis in vitro, 129–142
Protein synthesis—
blastocyst–endometrium co-culture, 135–137
in individual blastocysts, 133–135
measurement of, 130–132
in pre-implantation porcine blastocysts, 129–142
Proteins, pregnancy-associated—
PAPP-A, *see* Pregnancy-associated plasma-A
separation of $SP_1\alpha$ and $SP_1\beta$ by affinity chromatography, 223–232
SP_1 determinants of, demonstration of, 45–51
SP_1 molecular heterogeneity of, 233–240
Proteins, solubilized microvillous membrane, characterization of from syncytiotrophoblast, 117–128
Putrescine, in rat placenta and decidual tissue—
effect of oestradiol on, 109, 111, 114
and effect on RNA synthesis, 109–113, 114
Pyruvate, in placenta, effects of perfusion on, 271–274

Rabbit—
inhibin-like activity in placental extracts, 259–264
Radioimmunoassay, and detection of inhibin-like activity in rabbit placental extracts, 261–264
Radioimmunostaining, and molecular heterogeneity of SP_1, 234, 235, 237, 238, 239
Rat—
choline metabolism in placenta, 211–221
ornithine decarboxylase activity and polyamine content of placenta and decidual tissue, 105–116
Remotti, G. et al, 53–62
Rhesus incompatibility, microscopic examination of amniotic epithelium, 35–43
Rice, C. et al, 129–142
Richman, R. A. *See* Hochberg, Z. et al
RNA synthesis, in decidual nuclei, effect of polyamines on synthesis of, 106–107, 109–113, 114
Robertson, W. B. *See* Pijnenborg, R. et al
Rodents—
binucleation and polyploidy in mouse trophoblastic tissue, 317–331
choline metabolism in placenta, 211–221
inhibin-like activity in rabbit placental extracts, 259–264
ornithine decarboxylase activity and polyamine content of placenta and decidual tissue in the rat, 105–116
placental perfusion, effects on lactate and pyruvate levels, 271–274
polyploidization in placenta of mouse and guinea pig, 333–342
proliferation and differentiation of trophoblast in early pregnancy, 74–78
trophoblast invasion and establishment of haemochorial placentation, 71–91
trophoblast-specific antigens, detection and specificity of, 93–103

Salem, H. T. et al, 205–210
Scanning electron microscopy (SEM), of conceptus attachment in ewe, 169–181
Schwangerschafts protein 1 (SP_1) (pregnancy-specific β_1-glycoprotein)—
demonstration of, in placental extracts, 45–51
molecular heterogeneity of, 233–240
separation of $SP_1\alpha$ and $SP_1\beta$ by affinity chromatography, 223–232
Schwarz, B. E. *See* Milewich, L. et al
Searle, R. F. et al, 93–104
Seppälä, M. *See* Salem, H. T. et al
Sheep, ultrastructure of conceptus attachment, 169–181
Simmonds, R. *See* Penfold, P. et al
Size chromatography, and molecular heterogeneity of SP_1, 234, 238, 239
Smith, R. et al, 143–148

SP_1, *see* Schwangerschafts protein 1
Spermidine, in rat placenta and decidual tissue—
effect of oestradiol on, 109, 111, 114
effect on RNA synthesis, 109–113, 114
Spermine, in rat placenta and decidual tissue—
effect of oestradiol on, 109, 111, 114
effect on RNA synthesis, 107, 109–113, 114
Stedman, D. B. *See* Welsch, F. et al
Stevens, V. C. *See* Okamura, K. et al
Streptococcus, Group B, multiplication of, in tissues of pregnant mice, 187–191
Syncytiotrophoblast, human placental—
Fcγ receptors on, 355–369
solubilized microvillous membrane proteins and glycoproteins, characterization of, 117–128
transferrin receptor, isolation and purification, 1–10
ultrastructure of, in essential hypertension, 195–197

TCDD, *see* Dioxin
Teasdale, F., 241–252
Teisner, B. *See* Folkersen, J. et al; Hindersson, P. et al; Wahlström, T. et al
Thin-layer chromatography (TLC), and investigation of choline metabolism in human and rodent placenta, 213, 215–216, 217, 218–219
Thomson, M. A. R. *See* Smith, R. et al
Thrombin, effects of, on serum placental protein 5, 205–209
Tissue culture—
blastocyst–endometrial interactions and protein synthesis during porcine pre-implantation development, 129–142
of placenta, and infection with Adenovirus type 2, 265–270
placental polyploidization in mouse and guinea pig, 333–341
trophoblastic growth, initiation and control of, 317–331
Toop, K. M. *See* Ahmed, A. M. et al
Transferrin—
molecular weight determination, 3–4, 6–8
isolation of placental receptor from human syncytiotrophoblast, 1–10
Trophoblast—
binucleation and polyploidy in mouse trophoblastic tissue, 317–331
Dioxin poisoning, morphological changes of, 53–62
extrauterine gestation, histological abnormalities of, 63–70
haemochorial placentation, invasion and establishment of, 71–91
intra-arterial migration of, 78–80, 86–88
invasion pattern of, in human myometrium, 303–315
maternal immune response, and growth of, 84–86, 88
maternal tissue changes, due to invasion of, 80–88
proliferation and differentiation of, in early pregnancy, 74–78
tissue-specific antigens, detection and species specificity of, 93–103
ultrastructure of conceptus and attachment in ewe, 169–181
Tubal pregnancy, and incidence of blighted ova, 63–70
2,3,7,8-tetrachlorodibenzoparadioxin (TCDD), *see* Dioxin

Ultrasound, and estimation of human intrauterine placental growth, 275–278
Ultrastructure, of human placenta in maternal essential hypertension, 193–204
see also Electron microscopy

Villee, C. A. *See* Hoshiai, H. et al
Villi, placental—
capillary dimensions, measurement of in perfused placenta, 161–167
extrauterine gestation, morphological and histochemical characteristics of, 63–70
glucosaminoglycan levels in, and incidence of blighted ova, 63, 67, 79

Wahlström, T. et al, 253–258
Wang, T., 35–44
Weiss, J. *See* Hochberg, Z. et al
Welsch, F. et al, 211–222
Wenger, W. C. *See* Welsch, F. et al
Westergaard, J. G. *See* Folkersen, J. et al; Hindersson, P. et al
Whyte, A. *See* Searle, R. F. et al
Wootton, R. *See* Drury, L. et al; Penfold, P. et al

Copyright © 1981 W. B. Saunders Company Ltd. Printed in Great Britain by Henry Ling Ltd, at the Dorset Press, Dorchester, Dorset